RECEIVED CENTRAL FAX CENTER

JUN 2 2 2007

REMARKS

Claims 1 to 3 and 5 to 12 as filed on 17th April 2007 are currently pending in the application and are resubmitted for consideration.

Objection to Claims 5 to 8 and 9 to 11:

The amendments previously submitted in relation to these claims have removed their multiple dependency. The Examiner's objections in this regard are now believed to be moot.

Rejection of Claims 1-3:

Claims 1 is rejected under 35 USC 102(b) as being anticipated by JP 2002/283512.

Claims 2 and 3 are rejected under 35 USC 103(a) as being obvious over JP 2002/283512 in view of US 2002/0041443 Varaprasad.

Applicant has reviewed the referenced documents and does not believe them to be in any way relevant to the present application. A copy of the cover pages of these documents is enclosed for the benefit of the Examiner. These documents were not included on the Notice of References Cited. JP 2002/283512 appears to relate to a "Heat Sealing Laminate and Carrier Tape Package" and Varaprasad relates to "Electrochromic Mirrors and Devices".

Since none of the documents relied upon by the Examiner discloses or suggest the features as presently claimed in claim 1, allowance of the claim is respectfully requested.

Claims 2, 3 and 5 to 12 are wholly dependent upon claim 1. Their allowance is also respectfully requested.

Any extension of time that may be deemed necessary to further the prosecution of this application is hereby requested. The Commissioner is authorized to charge any fees which may be required, or credit any overpayment, to **Deposit Account No. 08-3038**, referencing the docket number shown above.

Since Applicant's representative is located in Europe, the Examiner is respectfully requested to contact the undersigned by email at owend@howrey.com in order to resolve any questions.

Respectfully submitted,

David P. Owen

Date: _ 22 June 2007

Reg. No. 43,344

Customer No. 32,894

Howrey LLP

2941 Fairview Park Drive, Suite 200

Falls Church, VA 22042

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2002/0041443 A1 Varaprasad et al.

(43) Pub. Date: Apr. 11, 2002

(54) ELECTROCHROMIC MIRRORS AND

(76) Inventors: Desaraju V. Varaprasad, Holland, MI (US); Hamid Habibi, Holland, MI (US), Ian A. McCabe, Holland, MI (US); Niall R. Lynam, Holland, MI (US); Mingtang Zhao, Holland, MI (US); Craig A. Dornan, Grand Haven, MI (US)

> Correspondence Address: FITZPATRICK CELLA HARPER & SCINTO 30 ROCKEFELLER PLAZA NEW YORK, NY 10112 (US)

(21) Appl. No.:

09/954,285

(22) Filed:

Sep. 18, 2001

Related U.S. Application Data

(63) Continuation of application No. 08/957,027, filed on Oct. 24, 1997, which is a continuation of application No. 08/429,643, filed on Apr. 27, 1995, now Pal. No. 5,724,187, which is a continuation-in-part of application No. 08/238,521, filed on May 5, 1994, now Pat. No. 5,668,663.


Publication Classification

(51)	Int. C],7	G02F 1/15; G02B 27/00;
(52)	U.S. Cl.	G02B 5/08; G02B 17/00 359/603; 359/601; 359/265

(57)

The present invention relates to electrochromic mirrors and devices whose electrochromic element is composed of an electrochromic solid film and an electrolyte comprising redox reaction promoters and alkali ions and/or protons.

ABSTRACT



HEAT-SEALING LAMINATE AND CARRIER TAPE PACKAGE

Publication number: JP2002283512

Publication date:

2002-10-03

Inventor:

INOUE ISAO; TAKAMORI HIROKO; MOMOTOME MASUMI; FUJII KAZUHITO; IMAMURA HIDEKI

Applicant:

DAINIPPON PRINTING CO LTD

Classification:
- International:

B65D73/02; B32B27/28; B32B27/30; B65D65/40; B65D85/86; C08K3/00; C08K7/00; C08L101/00; C09J153/00; B65D73/02; B32B27/28; B32B27/30; B65D65/40; B65D85/86; C08K3/00; C08K7/00; C08L101/00; C09J153/00; (IPC1-7): B32B27/28; B32B27/30; B65D65/40; B65D73/02; B65D85/86; C08K3/00; C08K7/00; C08L101/00; C09J153/00


- European:

Application number: JP20010083965 20010323 Priority number(s): JP20010083965 20010323

Report a data error here

Abstract of JP2002283512

PROBLEM TO BE SOLVED: To provide a heat-sealing laminate having transparency of a degree capable of visually confirming content and capable of bonding a cushioning layer and a heat-sealing layer with sufficient strength, and a carrier tape package using the same. SOLUTION: The heat-sealing laminate includes at least a heat-sealing layer 5, an outer layer 2, the cushioning layer 4 arranged between the heat-sealing layer 5 and the outer layer and the primer layer 6 arranged between the heat- sealing layer 5 and the cushioning layer 4. The primer layer 6 is formed from a resin composition consisting of 0-100 wt.% of a styrene/ethylene/butylene/ styrene copolymer and 100-0 wt.% of an acid modified styrene/ethylene/butylene/ styrene copolymer.



Data supplied from the esp@cenet database - Worldwide